

TECHNICAL EVALUATION REPORT

FOR THE PROCUREMENT OF MEDICAL LAB EQUIPMENT, TEACHING AID & IT EQUIPMENTS FOR ESTABLISHMENT OF COMPUTER LABS FOR BS PROGRAM FOR THE YEAR 2024-25.

This is for information of all the concerned to please note in the public interest that:

1. Reference your bid submitted on subject cited above which was opened on 10th September 2024, Subsequently evaluated & Draft Technical Evaluation Report shared/ announced as a pre-requisite of the procurement process under KPPRA Rule 45 with the bidders.
2. The inputs/appeals/feedbacks/ observation on Draft Technical Evaluation report have been received. In order to promote fairness and transparency in procurement process, opportunity for personal hearing was given to the aggrieved bidders on 26th September 2024. During the meeting based on the observations of bidders, bids were re-visited in front of the bidders and valid changes (if any) has been incorporated accordingly in final Technical Evaluation Report.
3. The bidders are requested to attend the meeting of Financial Bid Opening and other related matters on **Friday 11th October 2024 at 11:00 AM** in the office of Principal ZAB-PGPI Peshawar.

FINAL TECHNICAL EVALUATION REPORT OF COMPUTER LAB EQUIPMENTS (Establishment of Computer Lab at ZAB PGPI Peshawar)

<p style="margin: 0;">Fully compliance with the required specifications as per Statement of Requirement. Minor deviations may be accommodated up to 4, subject to the condition that main function and performance in any aspect would not be affected. More than 4 minor deviations will be considered as major deviation and the bidder will be considered as non-responsive for the quoted item. (One mark for each deviation will be deducted).</p> <p style="margin: 0;">CE certificate of the quoted item from notified body</p> <p style="margin: 0;">Valid ISO 9001 Quality Management Certificate of the manufacturer.</p> <p style="margin: 0;">Valid ISO 14001 Environmental Certificate of the manufacture</p> <p style="margin: 0;">Warranty Period of three years both with spare parts and services.</p> <p style="margin: 0;">Firm / bidder registration at relevant forum (SECP/Registrar of Firm/bidder, FBR).</p> <p style="margin: 0;">The bidder will have to give valid proof of being manufacturer (importer/ Authorized dealer of importer</p> <p style="margin: 0;">Availability of office/workshop in Khyber Pakhtunkhwa to be verified with Ownership/ Rent Agreement with Owner/ Rent Agreement with Company Name.</p> <p style="margin: 0;">One mark for each satisfactory performance certificate (verifiable) of the firm / bidder on letter head or signed and stamped from the public sector/ private sector for the quoted items, supported by Supply order/Purchase order/ Contract agreement</p> <p style="margin: 0;">Last three years Audited Balance Sheet of the firm Duly attested by Chartered Accountant. Turnover 60 million or above 5 marks/points. Turnover below 60 and above 30 million will be awarded 3 marks/points. Turnover below 30 million and above 20 million will be awarded 1 marks/points. Below 20 million no points/marks will be awarded. Note: Annual tax returns of last three financial years must be attached, otherwise, no marks shall be awarded.</p> <p style="margin: 0;">The firm registration with Pakistan engineering council (ME01 in any category (Air conditioner)</p> <p style="margin: 0;">Valid ISO 9001 Quality Management Certificate of the firm / bidder from PNAC accredited body.</p> <p style="margin: 0;">Diploma of Associate Engineer (DAE) in electrical / electronic / mechanical/ Telecom. DAE certificate must be submitted. (One mark for each certificate)</p> <p style="margin: 0;">Graduate Engineer with PEC Registration in electrical / electronics, biomedical / mechatronics / Telecom / industrial. PEC registration card of the engineer must be submitted. (2 marks for each).</p>																		
S.No	Bidder	Item Name	30	6	2	2	Mandatory	Mandatory	Mandatory	Mandatory	10	5	2	4	3	6	TOTAL OBTAIN MARKS	REMARKS
1	M/S Futurage	Desktop Computer	30	0	2	2	Yes	Yes	Yes	Yes	3	5	0	0	0	0	42	Responsive
2	M/S Quick Business Solution	Desktop Computer	30	0	0	0	Yes	No	Yes	Yes	5	5	0	0	3	6	49	Responsive
3	M/S AeroSoft	Desktop Computer	30	0	2	2	Yes	Yes	Yes	Yes	7	5	0	4	2	4	56	Responsive
4	M/S AeroSoft	Sound System for classrooms	0	0	0	0	Yes	No	Yes	Yes	0	0	0	0	0	0	0	NON-Responsive 1-Authorization Nor Available
5	M/S AeroSoft	Multimedia Projector for classrooms	0	0	0	0	Yes	No	Yes	Yes	0	0	0	0	0	0	0	NON-Responsive 1-Authorization Nor Available
6	M/S AeroSoft	LED Screens for Conference Room	0	0	0	0	Yes	No	Yes	Yes	0	0	0	0	0	0	0	NON-Responsive 1-Authorization Nor Available
7	M/S AeroSoft	Printer	0	0	0	0	Yes	No	Yes	Yes	0	0	0	0	0	0	0	NON-Responsive 1-Authorization Nor Available
8	M/S AeroSoft	AC 02 Ton Split Inverter	0	0	0	0	Yes	No	Yes	Yes	0	0	0	0	0	0	0	NON-Responsive 1-Authorization Nor Available
9	M/S Opells Tech Pvt Ltd	Desktop Computer	0	0	0	0	Yes	Yes	Yes	Yes	0	0	0	0	0	0	0	Non Responsive. Quoted item processor generation is not according to required specification
10	M/S Opells Tech Pvt Ltd	Power Backup UPS 6000W	0	0	0	0	Yes	Yes	Yes	Yes	0	0	0	0	0	0	0	Non Responsive. Authorized Not Available
11	M/S Opells Tech Pvt Ltd	Multimedia Projector for classroom	30	0	0	0	Yes	Yes	Yes	Yes	1	5	2	4	3	6	51	Responsive
12	M/S Opells Tech Pvt Ltd	LED Screens for Conference Room	30	0	0	0	Yes	Yes	Yes	Yes	5	5	2	4	3	6	55	Responsive
13	M/S Opells Tech Pvt Ltd	AC 2 Ton Split Unit Inverter Type	30	0	0	0	Yes	Yes	Yes	Yes	3	5	2	4	3	6	53	Responsive
14	M/S Medifa Enterprises	Desktop Computer	0	0	0	0	Yes	No	Yes	Yes	0	0	0	0	0	0	0	NON-Responsive 1-Authorization Nor Available
15	M/S Medifa Enterprises	LED Screens for Conference Room	0	0	0	0	Yes	No	Yes	Yes	0	0	0	0	0	0	0	NON-Responsive 1-Authorization Nor Available
16	M/S Global Traders	Desktop Computer	30	6	2	2	Yes	Yes	Yes	Yes	10	5	2	4	3	6	70	Responsive
17	M/S Global Traders	Multimedia Projector for classroom	0	0	0	0	Yes	Yes	Yes	Yes	0	0	0	0	0	0	0	Non-Responsive as Native Resolution is less than required
18	M/S Global Traders	Sound System for classrooms	30	6	2	0	Yes	Yes	Yes	Yes	6	5	2	4	3	6	64	Responsive
19	M/S Global Traders	Auto Motarized Projector Screen	30	0	0	0	Yes	Yes	Yes	Yes	3	5	2	4	3	6	53	Responsive
20	M/S Star Tech	Desktop Computer	30	0	2	2	Yes	Yes	Yes	Yes	10	5	0	4	3	6	62	Responsive
21	M/S Star Tech	Multimedia Projector for classroom	30	0	2	2	Yes	Yes	Yes	Yes	10	5	0	4	3	6	62	Responsive
22	M/S Star Tech	Auto Motarized Projector Screen	30	0	2	2	Yes	Yes	Yes	Yes	10	5	0	4	3	6	62	Responsive
23	M/S Star Tech	LED Screens for Conference Room	30	0	0	0	Yes	Yes	Yes	Yes	1	5	0	4	3	6	49	Responsive
24	M/S Star Tech	Printer	0	0	2	2	Yes	Yes	Yes	Yes	5	5	0	4	3	6	27	Non-Responsive. Toner Capacity less then required
25	M/S Star Tech	AC 2 Ton Split Unit Inverter Type	30	0	2	2	Yes	Yes	Yes	Yes	0	5	0	4	3	6	52	Responsive
26	M/S Ideal Business Products	Desktop Computer		0	2	0	Yes	Yes	Yer	Yes	5	5	0	4	3	6	25	Non Responsive. Detail broucher not provided
27	M/S Ideal Business Products	Power Backup UPS 6000W		6	0	0	Yes	Yes	Yer	Yes	0	5	0	4	3	6	24	Non-Responsive. The backup time is below required
28	M/S Ideal Business Products	Wifi Routers		0	0	0	Yes	Yes	No	Yes	0	5	0	4	3	6	18	Non Responsive. Authorization not Available
29	M/S Ideal Business Products	Sound System for classrooms	30	0	0	0	Yes	Yes	Yer	Yes	2	5	0	4	3	6	50	Responsive,

S.No	Bidder	item Name	30	6	2	2	Mandatory	Mandatory	Mandatory	Mandatory	10	5	2	4	3	6	TOTAL OBTAIN MARKS	REMARKS
30	M/S Ideal Business Products	Multimedia Projector for classroom	30	0	2	2	Yes	Yes	Yer	Yes	2	5	0	4	3	6	54	Responsive,
31	M/S Ideal Business Products	Auto Motarized Projector Screen		0	0	0	Yes	Yes	Yer	Yes	0	5	0	4	3	6	18	Non Responsive. Detail broucher not provided
32	M/S Ideal Business Products	LED Screens for Conference Room		0	0	0	Yes	Yes	No	Yes	6	5	0	4	3	6	24	Non Responsive. Authorization not Available
33	M/S Ideal Business Products	Printer	28	0	2	2	Yes	Yes	Yer	Yes	5	5	0	4	3	6	55	Responsive,
34	M/S Ideal Business Products	Heavy Duty photocopier machine	30	0	2	2	Yes	Yes	Yer	Yes	10	5	0	4	3	6	62	Responsive,
35	M/S Ideal Business Products	AC 2 Ton Split Unit Inverter Type		0	0	0	Yes	Yes	Yer	Yes	8	5	0	4	3	6	26	Non Responsive. Detail broucher not provided

FINAL TECHNICAL EVALUATION REPORT OF MEDICAL LAB EQUIPMENTS, TEACHING AIDS

<p style="font-size: 8px; margin: 0;">Fully compliance with the required specifications as per Statement of Requirement. Minor deviations may be accommodated up to 3, subject to the condition that main function and performance in any aspect would not be affected. More than 3 minor deviations will be considered as major deviation and the bidder will be considered as non-responsive for the quoted item. (One mark for each deviation will be deducted)</p> <p style="font-size: 8px; margin: 0;">Additional features of the product (One mark for each additional feature if it enhances the Performance of equipment in required Field.</p> <p style="font-size: 8px; margin: 0;">Certificate of US Food and Drug Administration (USFDA) / CE/MDR certificate for the quoted product / JIS/ MHLW for the quoted product / Note: <u>One certificate is mandatory having no marks, while producing other two certificates will get 3 marks each up to maximum of (06) points.</u></p> <p style="font-size: 8px; margin: 0;">Valid ISO 13485 Certificate of manufacturing plant from PNAC / IAF accredited body</p> <p style="font-size: 8px; margin: 0;">Valid ISO 45001 Occupational Health & Safety Certificate of manufacturing plant from PNAC / IAF accredited body</p> <p style="font-size: 8px; margin: 0;">Valid ISO 9001 Quality Management Certificate of manufacture from PNAC / IAF accredited body</p> <p style="font-size: 8px; margin: 0;">One mark for each satisfactory performance certificate (verifiable) of the firm / bidder on letter head or signed and stamped from the public sector/ private sector for the quoted model/manufacture. Supported by order/Purchase order /contract agreement</p> <p style="font-size: 8px; margin: 0;">Warranty Period of three years both with spare parts and services</p> <p style="font-size: 8px; margin: 0;">The bidder will have to give valid proof of being manufacturer / Authorized distributor of manufacture</p> <p style="font-size: 8px; margin: 0;">Diploma of Associate Engineer (DAE) in electrical / electronic / instrumentation / mechanical / mechanical / industrial. DAE certificate must be submitted. (1 mark for each certificate)</p> <p style="font-size: 8px; margin: 0;">Graduate Engineer with PEC Registration in electrical / electronics, instrumentation / mechatronics / mechanical / industrial. PEC registration card of the engineer must be submitted. marks for each Engineer)</p> <p style="font-size: 8px; margin: 0;">Availability of office/workshop in Khyber Pakhtunkhwa to be verified with Ownership / Rent Agreement with Owner/ Rent Agreement with Company Name</p> <p style="font-size: 8px; margin: 0;">List of related tools available at workshop. Details shall be submitted with technical bid</p> <p style="font-size: 8px; margin: 0;">List of Testing and Calibration tools for the quoted items available at workshop. Details shall be submitted with technical bid</p> <p style="font-size: 8px; margin: 0;">Detail of Spare parts availability at workshop for the quoted items. Details shall be submitted with technical bid</p> <p style="font-size: 8px; margin: 0;">Last 3 years Audited Financial Statements. Turnover 40 million or above 4 marks/points. Turnover less than 40 and above 20 million will be awarded 3 marks/points. Turnover below 20 million will be awarded 1 marks/points. Note: Annual tax returns of last three financial years must be attached, otherwise, no marks shall be awarded</p> <p style="font-size: 8px; margin: 0;">Firm / bidder registration at relevant forum (SECP/Registrar of Firm/ bidder, FBR)</p> <p style="font-size: 8px; margin: 0;">Valid ISO 9001 Quality Management Certificate of the firm / bidder from PNAC accredited bodies</p>																							
S.No	Bidder	item Name	20	2	6	3	3	3	10	Mandatory	Mandatory	2	6	Mandatory	2	3	3	4	Mandatory	3	TOTAL OBTAIN MARKS	REMARKS	
1	M/S Medinostic	Binocular Microscope with camera and LED Screen for teaching purpose	20	0	0	0	0	3	0	Yes	Yes	2	6	Yes	2	3	3	4	Yes	0	43	Responsive	
2	M/S Noor International	Vital Sign Monitor	0	0	0	0	0	0	0			0	0		0	0	0	0		0	0	0	Non Responsive: the quoted model is not dedicated vital sign monitor
3	M/S Medi Health Enterprises	Pulse Oximeter	0	0	0	0	0	0	0	No	No	0	0	Yes	0	0	0	0	Yes	0	0	0	Non Responsive None of the Mandatory Certificates i.e. USFDA, CE, JIS/MHLW not submitted for the quoted products
4	M/S Medi Health Enterprises	Surgical Table, attachments	0	0	0	0	0	0	0	No	No	0	0	Yes	0	0	0	0	Yes	0	0	0	Non Responsive None of the Mandatory Certificates i.e. USFDA, CE, JIS/MHLW not submitted for the quoted products
5	M/S Medi Health Enterprises	Suction apparatus or Suction Machine	0	0	0	0	0	0	0	No	No	0	0	Yes	0	0	0	0	Yes	0	0	0	Non Responsive None of the Mandatory Certificates i.e. USFDA, CE, JIS/MHLW not submitted for the quoted products
6	M/S Medi Health Enterprises	ETT Machine	0	0	0	0	0	0	0	No	No	0	0	Yes	0	0	0	0	Yes	0	0	0	Non Responsive None of the Mandatory Certificates i.e. USFDA, CE, JIS/MHLW not submitted for the quoted products
7	M/S Medi Health Enterprises	ECG Machine	0	0	0	0	0	0	0	No	No	0	0	Yes	0	0	0	0	Yes	0	0	0	Non Responsive None of the Mandatory Certificates i.e. USFDA, CE, JIS/MHLW not submitted for the quoted products
8	M/S Medi Health Enterprises	Capnography	0	0	0	0	0	0	0	No	No	0	0	Yes	0	0	0	0	Yes	0	0	0	Non Responsive None of the Mandatory Certificates i.e. USFDA, CE, JIS/MHLW not submitted for the quoted products
9	M/S Medi Health Enterprises	Baby Weight Scale	0	0	0	0	0	0	0	No	No	0	0	Yes	0	0	0	0	Yes	0	0	0	Non Responsive None of the Mandatory Certificates i.e. USFDA, CE, JIS/MHLW not submitted for the quoted products
10	M/S Medi Health Enterprises	Vital sign monitor	0	0	0	0	0	0	0	No	No	0	0	Yes	0	0	0	0	Yes	0	0	0	Non Responsive None of the Mandatory Certificates i.e. USFDA, CE, JIS/MHLW not submitted for the quoted products
11	M/S Medi Health Enterprises	Cardiac Monitor	0	0	0	0	0	0	0	No	No	0	0	Yes	0	0	0	0	Yes	0	0	0	Non Responsive None of the Mandatory Certificates i.e. USFDA, CE, JIS/MHLW not submitted for the quoted products
12	M/S Medi Health Enterprises	Holter Monitor	0	0	0	0	0	0	0	No	No	0	0	Yes	0	0	0	0	Yes	0	0	0	Non Responsive None of the Mandatory Certificates i.e. USFDA, CE, JIS/MHLW not submitted for the quoted products

S.No	Bidder	item Name	20	2	6	3	3	3	10	Mandatory	Mandatory	2	6	Mandatory	2	3	3	4	Mandatory	3	TOTAL OBTAIN MARKS	REMARKS
13	M/S Noor International	Vital Sign Monitor	0	0	0	0	0	0	0	Yes	Yes	0	0	Yes	0	0	0	0	Yes	0	0	Non Responsive 1) None of the Mandatory Certificates i.e. USFDA, CE, JIS/MHLW submitted for the quoted product 2) Evidence of Bid Security in the Technical Quotation not submitted 3) The quoted item is not dedicated Vital Sign Monitor
14	M/S Alam Medix	Pulse Oximeter	20							Yes	No	2	6	Yes	2	3	3	4	Yes	3	43	Non Responsive: Authorization not Available
15	M/S Alam Medix	Vital Sign Monitor	0							Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	23	Non Responsive: item quoted not dedicated
16	M/S Alam Medix	Suction apparatus or Suction Machine	20	0	0	3	3	3	10	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	62	Responsive
17	M/S Alam Medix	ECG Machine	20	0	0	3	0	3	10	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	50	Responsive
18	M/S Alam Medix	Ultrasound Machine With 3Nos of Probes and UPS	20	0	0	3	0	3	10	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	59	Responsive
19	M/S Alam Medix	Electrical Surgical unit	20	0	0	3	0	3	0	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	49	Responsive
20	M/S Alam Medix	Emergency trolley/ crash cart/ crash trolley	20	0	0	3	3	3	10	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	62	Responsive
21	M/S Alam Medix	Cardiac Monitor	20	0	3	3	0	3	5	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	57	Responsive
22	M/S Alam Medix	Nebulizer Machine	20	0	0	3	0	0	10	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	59	Responsive
23	M/S Alam Medix	Hot Air Oven	20	0	0	3	0	3	10	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	55	Responsive
24	M/S Alam Medix	Lab Incubator	20	0	0	3	0	3	4	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	53	Responsive
25	M/S Ideal Business Products	Pulse Oximeter	20	0	0	0	0	0	10	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	53	Responsive
26	M/S Ideal Business Products	Vital Sign Monitor	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Non Responsive. Quoted item is not Dedicated
27	M/S Ideal Business Products	Suction apparatus or Suction Machine	20	0	0	3	0	0	0	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	46	Responsive
28	M/S Ideal Business Products	Defibrillator with AED mode	20	0	0	3	0	3	2	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	51	Responsive
29	M/S Ideal Business Products	Ultrasound Machine With 3Nos of Probes and UPS	20	0	3	3	0	3	0	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	52	Responsive
30	M/S Ideal Business Products	High Pressure Autoclave(TableType)	20	0	0	0	0	0	5	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	48	Responsive
31	M/S Ideal Business Products	Electrical Surgical unit	20	0	0	0	0	0	0	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	43	Responsive
32	M/S Ideal Business Products	Centrifuge	20	0	0	3	0	3	0	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	49	Responsive
33	M/S Ideal Business Products	Auto Clave	20	0	0	3	0	3	2	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	51	Responsive
	M/S Ideal Business Products	Cardiac Monitor	20	0	0	0	0	0	0	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	43	Responsive
	M/S Ideal Business Products	Surgical Table with different attachments	20	0	0	0	0	0	0	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	43	Responsive
34	M/S Shirazi Trading	ETT Machine	20	0	6	3	3	3	10	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	68	Responsive
35	M/S Shirazi Trading	Defibrillator with AED mode	20	0	0	3	0	3	9	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	59	Responsive
36	M/S Mercy Enterprises	Pulse Oximeter	20	0	0	3	0	3	0	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	49	Responsive
37	M/S Mercy Enterprises	Capnography	20	0	0	3	0	3	0	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	49	Responsive
38	M/S Mercy Enterprises	Vital Sign Monitor	20	0	0	3	0	3	0	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	49	Responsive
39	M/S Mercy Enterprises	Glucometers	20	0	0	0	0	0	0	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	43	Not Responsive Authorization of the quoted item not available
40	M/S Mercy Enterprises	ECG Machine	20	0	0	0	0	0	0	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	43	Not Responsive Authorization of the quoted item not available
41	M/S Mercy Enterprises	ETT Machine	20	0	0	3	0	3	0	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	49	Responsive
42	M/S Mercy Enterprises	Defibrillator with AED mode	20	0	0	3	0	3	0	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	49	Responsive
43	M/S Mercy Enterprises	Holter Monitor	20	0	0	3	0	3	0	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	49	Responsive
44	M/S Mercy Enterprises	Ultrasound Machine With 3Nos of Probes and UPS	20	0	0	3	0	3	0	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	49	Responsive
45	M/S Mercy Enterprises	Surgical Table with different attachments	20	0	0	0	0	0	0	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	43	Not Responsive Authorization of the quoted item not available
46	M/S Mercy Enterprises	Electrical Surgical unit	20	0	0	0	0	0	0	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	43	Not Responsive Authorization of the quoted item not available
47	M/S Mercy Enterprises	Proctoscopy	20	0	0	0	0	0	0	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	43	Not Responsive Authorization of the quoted item not available
48	M/S Mercy Enterprises	Cardiac Monitor	20	0	0	3	0	3	0	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	49	Responsive
49	M/S Mercy Enterprises	Nebulizer machine	20	0	0	0	0	0	0	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	43	Not Responsive Authorization of the quoted item not available
50	M/S Mercy Enterprises	Centrifuge	20	0	0	0	0	0	0	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	43	Not Responsive Authorization of the quoted item not available
51	M/S Mercy Enterprises	Hot Air Oven	20	0	0	3	0	3	0	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	49	Responsive
52	M/S Mercy Enterprises	Lab Incubator	20	0	0	3	0	3	0	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	49	Responsive
53	M/S Mercy Enterprises	Auto Clave	20	0	0	0	0	0	0	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	43	Not Responsive Authorization of the quoted item not available

S.No	Bidder	item Name	20	2	6	3	3	3	10	Mandatory	Mandatory	2	6	Mandatory	2	3	3	4	Mandatory	3	TOTAL OBTAIN MARKS	REMARKS
54	M/S Medifa Enterprises	Pulse Oximeter	20	0	6	3	0	3	5	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	60	Responsive
55	M/S Medifa Enterprises	Suction apparatus or Suction Machine	20	0	0	3	0	3	2	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	51	Responsive
56	M/S Medifa Enterprises	ECG Machine	20	0	3	3	0	3	5	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	57	Responsive
57	M/S Medifa Enterprises	Defibrillator with AED mode	20	0	0	3	3	3	1	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	53	Responsive
58	M/S Medifa Enterprises	Ultrasound Machine With 3Nos of Probes and UPS	20	0	3	3	0	3	2	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	54	Responsive
59	M/S Medifa Enterprises	Surgical Table with different attachments	20	0	0	3	3	0	0	No	Yes	0	0	Yes	0	0	0	4	Yes	3	33	Responsive
60	M/S IBS Pharmaceuticals	Pulse Ocimeter	20	0	0	3	3	0	9	Yes	Yes	1	6	Yes	2	3	3	4	Yes	3	57	Responsive
61	M/S IBS Pharmaceuticals	High Pressure Autoclave(TableType)								Yes	Yes	1	6	Yes	2	3	3	4	Yes	3	22	Non Responsive: Quoted Capacity less than required
62	M/S IBS Pharmaceuticals	Cardiac Monitor	20	0	0	3	3	0	0	Yes	Yes	1	6	Yes	2	3	3	4	Yes	3	48	Responsive
63	M/S IBS Pharmaceuticals	Surgical Diathermy multipurpose	20	0	0	3	3	0	6	Yes	Yes	1	6	Yes	2	3	3	4	Yes	3	54	Responsive
64	M/S IBS Pharmaceuticals	Centrifuge								Yes	Yes	1	6	Yes	2	3	3	4	Yes	3	22	Non Responsive: Valid Authorization for the quoted product not available
65	M/S IBS Pharmaceuticals	Hot Air Oven	20	0	0	3	0	3	5	Yes	Yes	1	6	Yes	2	3	3	4	Yes	3	53	Responsive
66	M/S IBS Pharmaceuticals	Lab incubator	20	0	0	3	0	3	0	Yes	Yes	1	6	Yes	2	3	3	4	Yes	3	48	Responsive
67	M/S IBS Pharmaceuticals	Digital Balance(0.1 g-10 g. Gram to kg)	20	0	0	3	3	3	0	Yes	Yes	1	6	Yes	2	3	3	4	Yes	3	51	Non Responsive 1) None of the Mandatory Certificates i.e. USFDA, CE, JIS/MHLW submitted for the quoted product
68	M/S IBS Pharmaceuticals	Binocular Microscope with camera and LED Screen for teaching purpose	20	0	0	3	3	3	2	Yes	Yes	1	6	Yes	2	3	3	4	Yes	3	53	Responsive

FINAL TECHNICAL EVALUATION REPORT OF MEDICAL LAB EQUIPMENTS, TEACHING AIDS (SAMPLE BASED)

			(Excellent Sample)	(Good Sample)	(Satisfactory Sample)	Sample rejected	Valid CE / ISO Certificate of manufacturing	One mark for each satisfactory performance certificate	Warranty Period of three years both with spare parts and services	manufacturer / Authorized distributor of manufacture	Diploma of Associate Engineer (DAE)	Graduate Engineer with PEC	Availability of office / workshop in Khyber Pakhtunkhwa	List of related tools	List of Testing and Calibration tools	Last 3 years Audited Balance Sheet Duly attested by Chartered Accountant	Firm / bidder registration	Valid ISO 9001 Quality Management		
S.No	Bidder	item Name	40	30	20	0	Mandatory	10	Mandatory	Mandatory	2	6	Mandatory	2	2	4	Mandatory	4	TOTAL OBTAIN MARKS	REMARKS
1	M/S Medinostic	Ambu Bag (Peads, Adult)	0	30	0	0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	0	36	Responsive
2	M/S Medinostic	CPR Dummy (Adult)	40	0	0	0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	0	46	Responsive
3	M/S Medinostic	Human Skeleton	0	0	0	0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	0	36	Non Responsive. Sample not provided
4	M/S Medinostic	Human Heart Models and Circulatory System (Teaching Heart Models)	0	0	0	0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	0	36	Non Responsive. Sample not provided
5	M/S Medinostic	Human Lung Models Respiratory System Cardiopulmonary Models	0	0	0	0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	0	36	Non Responsive. Sample not provided
6	M/S Medinostic	Human Skull Model	0	0	0	0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	0	36	Non Responsive. Sample not provided
7	M/S Medinostic	Human Brain Model	0	0	0	0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	0	36	Non Responsive. Sample not provided
8	M/S Medinostic	Digestive System Model	0	0	0	0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	0	36	Non Responsive. Sample not provided
9	M/S Medinostic	Human Spine Model	0	30	0	0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	0	36	Responsive
10	M/S Medinostic	Urology Model	0	0	0	0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	0	36	Non Responsive. Sample not provided
11	M/S Medinostic	Anatomy Set	0	0	0	0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	0	36	Non Responsive. Sample not provided
12	M/S Medinostic	Anatomy Chart	0	0	0	0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	0	36	Non Responsive. Sample not provided
13	M/S Medinostic	Plastic body (Torso) - Large size	0	0	0	0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	0	36	Non Responsive. Sample not provided
14	M/S Medinostic	Eye Model	0	0	0	0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	0	36	Non Responsive. Sample not provided
15	M/S Medinostic	Ear Model	0	0	0	0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	0	36	Non Responsive. Sample not provided
16	M/S Medinostic	Female Pelvis	0	0	0	0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	0	36	Non Responsive. Sample not provided
17	M/S Medinostic	Male Perlviv	0	0	0	0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	0	36	Non Responsive. Sample not provided
18	M/S Medinostic	Knee Joint	0	0	0	0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	0	36	Non Responsive. Sample not provided
19	M/S Medinostic	Ankle Joint	0	0	0	0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	0	36	Non Responsive. Sample not provided
20	M/S Medinostic	Elbow joint	0	0	0	0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	0	36	Non Responsive. Sample not provided
21	M/S Medinostic	Wrist joint	0	0	0	0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	0	36	Non Responsive. Sample not provided
22	M/S Medinostic	Manikin (Neuron Cell Body)	0	0	20	0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	0	46	Responsive
23	M/S Medinostic	Upper & lower limb Muscular	0	0	0	0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	0	36	Non Responsive. Sample not provided
24	M/S Star Tech	Laryngo-scope	0	0	20	0	Yes	9	Yes	Yes	2	6	Yes	2	2	4	Yes	4	49	Responsive
25	M/S Star Tech	Glucometers	0	0	0	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	39	Non Responsive. Sample not provided
26	M/S Star Tech	BP Apparatus with Stand	0	0	20	0	Yes	6	Yes	Yes	2	6	Yes	2	2	4	Yes	4	46	Responsive
27	M/S Star Tech	Stethoscope	0	0	20	0	Yes	5	Yes	Yes	2	6	Yes	2	2	4	Yes	4	45	Responsive
28	M/S Star Tech	Thermometer	0	0	20	0	Yes	6	Yes	Yes	2	6	Yes	2	2	4	Yes	4	46	Responsive
29	M/S Star Tech	Viewer X-Ray Film	0	0	20	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	40	Responsive
30	M/S Star Tech	Lead Apron X-ray protective	0	0	0	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	29	Non Responsive. Sample not provided
31	M/S Star Tech	Stainless steel box,17x7x3cm	0	0	20	0	Yes	4	Yes	Yes	2	6	Yes	2	2	4	Yes	4	44	Responsive
32	M/S Star Tech	Surgical scissors, straight sharp/blunt,12-14cm	0	30	0	0	Yes	4	Yes	Yes	2	6	Yes	2	2	4	Yes	4	54	Responsive
33	M/S Star Tech	Kocher forceps, noteeth, straight12-14cm	0	30	0	0	Yes	2	Yes	Yes	2	6	Yes	2	2	4	Yes	4	52	Responsive
34	M/S Star Tech	Dissecting forceps, noteeth,12-14cm	0	30	0	0	Yes	3	Yes	Yes	2	6	Yes	2	2	4	Yes	4	53	Responsive
35	M/S Star Tech	Abscess/suture set	0	0	0	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	29	Non Responsive. Sample not provided
36	M/S Star Tech	Stainless steel box,22x10x5cm	0	0	20	0	Yes	3	Yes	Yes	2	6	Yes	2	2	4	Yes	4	43	Responsive
37	M/S Star Tech	D & C Set	0	30	0	0	Yes	9	Yes	Yes	2	6	Yes	2	2	4	Yes	4	59	Responsive
38	M/S Star Tech	Appendectomy Surgery Set	0	30	0	0	Yes	3	Yes	Yes	2	6	Yes	2	2	4	Yes	4	53	Responsive

S.No	Bidder	item Name	40	30	20	0	Mandatory	10	Mandatory	Mandatory	2	6	Mandatory	2	2	4	Mandatory	4	TOTAL OBTAIN MARKS	REMARKS
39	M/S Star Tech	AO Basic Set	0	0	0	0	Yes	3	Yes	Yes	2	6	Yes	2	2	4	Yes	4	23	Non Responsive. Sample not provided
40	M/S Star Tech	General Instruments Set	0	0	20	0	Yes	4	Yes	Yes	2	6	Yes	2	2	4	Yes	4	44	Responsive
41	M/S Star Tech	Mayo-Hegar Needle holder,18cm	0	0	20	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	40	Responsive
42	M/S Star Tech	Artery forceps, Halstead, noteeth,curve,12cm	0	0	20	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	40	Responsive
43	M/S Star Tech	Stream Inhaler Machine	0	0	20	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	40	Responsive
44	M/S Star Tech	Ambu Bag Adult	0	0	0	0	Yes	9	Yes	Yes	2	6	Yes	2	2	4	Yes	4	29	Non Responsive. Sample not provided
45	M/S Star Tech	Anbu Bag Mask	0	30	0	0	Yes	6	Yes	Yes	2	6	Yes	2	2	4	Yes	4	56	Responsive
46	M/S Star Tech	Kidney Tray	0	0	20	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	40	Responsive
47	M/S Star Tech	Dressing Drum	0	30	0	0	Yes	4	Yes	Yes	2	6	Yes	2	2	4	Yes	4	54	Responsive
48	M/S Star Tech	Emergency Tray	0	0	20	0	Yes	5	Yes	Yes	2	6	Yes	2	2	4	Yes	4	45	Responsive
49	M/S Star Tech	Oxygen flow meter	0	0	0	0	Yes	4	Yes	Yes	2	6	Yes	2	2	4	Yes	4	24	Non Responsive. Sample not provided
50	M/S Star Tech	Hemocytometer	0	0	0	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	20	Non Responsive. Sample not provided
51	M/S Star Tech	ESR tubes and stands	0	0	0	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	20	Non Responsive. Sample not provided
52	M/S Star Tech	Automatic pipette 10 ul fixed	0	0	0	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	20	Non Responsive. Sample not provided
53	M/S Star Tech	Automatic pipette 100 ul fixed	0	0	0	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	20	Non Responsive. Sample not provided
54	M/S Star Tech	Automatic pipette 200 and 1000 ul fixed	0	0	0	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	20	Non Responsive. Sample not provided
55	M/S Star Tech	Digital Balance (0.1 g-10 g. Gram to kg)	0	0	20	0	Yes	2	Yes	Yes	2	6	Yes	2	2	4	Yes	5	43	Responsive
56	M/S Star Tech	Baby Weighting Machine	0	0	20	0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	50	Responsive
57	M/S Mercy Enterprises	Baby Weighting Machine	0	0	20	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	40	Responsive
58	M/S Mercy Enterprises	Digital Balance (0.1 g-10 g. Gram to kg)	0	0	20	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	40	Responsive
59	M/S Mercy Enterprises	Oxygen flow meter	0	0	20	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	40	Responsive
60	M/S Mercy Enterprises	AMBU Bag Adult Mask	0	0	0	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	20	Non Responsive. Sample not provided
61	M/S Mercy Enterprises	AMBU Bag Mask peads	0	0	0	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	20	Non Responsive. Sample not provided
62	M/S Mercy Enterprises	Kidney Tray	0	0	20	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	40	Responsive
63	M/S Mercy Enterprises	Dressing Drum	0	0	20	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	40	Responsive
64	M/S Mercy Enterprises	Emergency Tray	0	0	20	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	40	Responsive
65	M/S Mercy Enterprises	Laryngo-scope	0	30	0	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	50	Responsive
66	M/S Mercy Enterprises	Dressing set with trolley	0	0	20	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	40	Responsive
67	M/S Mercy Enterprises	Stainless steel box,17x7x3cm	0	0	20	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	40	Responsive
68	M/S Mercy Enterprises	Surgical scissors, straight sharp/blunt,12-14cm	0	0	20	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	40	Responsive
69	M/S Mercy Enterprises	Kocher forceps, noteeth,straight12-14cm	0	0	20	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	40	Responsive
70	M/S Mercy Enterprises	Dissecting forceps, noteeth,12-14cm	0	0	0	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	20	Non Responsive. Sample not provided
71	M/S Mercy Enterprises	Abscess/suture set	0	0	20	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	40	Responsive
72	M/S Mercy Enterprises	Stainless steel box,22x10x5cm	0	0	20	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	40	Responsive
73	M/S Mercy Enterprises	General Instruments Set	0	0	20	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	40	Responsive
74	M/S Mercy Enterprises	Mayo-Hegar Needle holder,18cm	0	0	20	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	40	Responsive
75	M/S Mercy Enterprises	Artery forceps, Halstead, noteeth,curve,12cm	0	0	20	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	40	Responsive
76	M/S Mercy Enterprises	Viewer X-Ray Film	0	0	20	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	40	Responsive
77	M/S Mercy Enterprises	Thermometer	0	0	0	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	20	Non Responsive. Sample not provided
78	M/S Mercy Enterprises	Stethoscope	0	0	20	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	40	Responsive
79	M/S Mercy Enterprises	BP Aparatus with stand	0	0	20	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	40	Responsive
80	M/S Mercy Enterprises	CPR Dummy (Adult)	0	0	20	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	40	Responsive
81	M/S Mercy Enterprises	Human Skeleton	0	0	20	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	40	Responsive

S.No	Bidder	item Name	40	30	20	0	Mandatory	10	Mandatory	Mandatory	2	6	Mandatory	2	2	4	Mandatory	4	TOTAL OBTAIN MARKS	REMARKS
82	M/S Mercy Enterprises	Human Heart Models and Circulatory System (Teaching Heart Models)	0	0	20	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	40	Responsive
83	M/S Mercy Enterprises	Human Lung models Respiratory System Cardiopulmonary Models	0	0	0	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	20	Non Responsive. Sample not provided
84	M/S Mercy Enterprises	Human Skull Model	0	0	20	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	40	Responsive
85	M/S Mercy Enterprises	Human Brain Model	0	0	20	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	40	Responsive
86	M/S Mercy Enterprises	Digestive System Model	0	0	20	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	40	Responsive
87	M/S Mercy Enterprises	Human Spine Model	0	0	0	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	20	Non Responsive. Sample not provided
88	M/S Mercy Enterprises	Urology Model	0	0	20	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	40	Responsive
89	M/S Mercy Enterprises	Anatomy Set	0	0	0	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	20	Non Responsive. Sample not provided
90	M/S Mercy Enterprises	Anatomy Chart	0	0	0	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	20	Non Responsive. Sample not provided
91	M/S Mercy Enterprises	Plastic body (Torso) - Large size	0	0	0	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	20	Non Responsive. Sample not provided
92	M/S Mercy Enterprises	Eye Model	0	0	20	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	40	Responsive
93	M/S Mercy Enterprises	Ear Model	0	0	20	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	40	Responsive
94	M/S Mercy Enterprises	Female Pelvis	0	0	0	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	20	Non Responsive. Sample not provided
95	M/S Mercy Enterprises	Male Pelvis	0	0	0	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	20	Non Responsive. Sample not provided
96	M/S Mercy Enterprises	Knee Joint	0	0	0	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	20	Non Responsive. Sample not provided
97	M/S Mercy Enterprises	Ankle Joint	0	0	0	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	20	Non Responsive. Sample not provided
98	M/S Mercy Enterprises	Elbow joint	0	0	0	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	20	Non Responsive. Sample not provided
99	M/S Mercy Enterprises	Wrist joint	0	0	0	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	20	Non Responsive. Sample not provided
100	M/S Mercy Enterprises	Manikin	0	0	0	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	20	Non Responsive. Sample not provided
101	M/S Mercy Enterprises	Upper & lower limb Muscular	0	0	0	0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	20	Non Responsive. Sample not provided
101	M/S IBS Pharmaceuticals	Automatic pipette 10 ul fixed	0	0	0	0	Yes	0	Yes	Yes	1	6	Yes	2	2	4	Yes	4	15	Non Responsive. Sample not provided
102	M/S IBS Pharmaceuticals	Automatic pipette 100 ul fixed	0	0	0	0	Yes	0	Yes	Yes	1	6	Yes	2	2	4	Yes	4	15	Non Responsive. Sample not provided
103	M/S IBS Pharmaceuticals	Automatic pipette 200 and 1000 ul fixed	0	0	0	0	Yes	0	Yes	Yes	1	6	Yes	2	2	4	Yes	4	15	Non Responsive. Sample not provided
104	M/S IBS Pharmaceuticals	Adjustable pipette 10 ul to 1000 ul	0	0	0	0	Yes	0	Yes	Yes	1	6	Yes	2	2	4	Yes	4	15	Non Responsive. Sample not provided